


► 86" Interactive Display

HU86T60



► Main Features

- Boasts a 4K UHD resolution of 3840 x 2160, enhanced by a VA panel for broad viewing angles.
- Features IR touch technology, allowing for 20 points of multi-touch interaction.
- Compatible with multiple operating systems including Windows 7/8/10/XP, Linux, Mac, and Android.
- Runs on the Android 11 platform, equipped with 32GB of internal storage.
- Supports WiFi 5 and Bluetooth for versatile connectivity options.
- Includes an integrated OPS slot to accommodate external operating systems.
- Offers a USB Type-C port for rapid data transfer with storage devices.
- Provides the E-Shere App for effortless wireless screen sharing.
- Comes with a user-friendly whiteboard application, ideal for collaborative meetings.
- Includes a writing pen equipped with spotlight and pointer functionalities.

► Specifications

		HU86T60
LCD Panel	LCD Size	86"
	Panel Type	VA
	Brightness	400 nits
	Contrast	4000:1
	Resolution	3840 x 2160 16:9
	Viewing Angle	178°/178°
	Display Colour	1.07B (8 bits + FRC)
	Surface Treatment	Anti-Glare, Treatment (Haze 25%), 3H Hard Coating
	Life Time	50,000 Hours
Connectors (Front)	HDMI Input	x 1 (2.0)
	USB 3.0	x 2
	Type-C	x 1 (15W Power Delivery)
	USB 2.0 Touch	x 1
Connectors (Rear)	HDMI Input	x 2 (2.0)
	DisplayPort Input	x 1 (1.2)
	USB 2.0	x 1 (Android Only)
	USB 3.0	x 1
	USB Touch	x 1
	VGA	x 1
	RS232	x 1
	RJ45	x 2 (10/100Mbps)
	OPS	x 1 (80 PIN, OPS-C)
	S/PDIF	x 1
	Mic In	x 1
	Line Out	x 1
	AUDIO In	x 1
Audio	Internal Speaker	15W x 2
Touch	Sensing Type	IR
	System	Windows 7/8/10/WindowsXP/Linux/Mac/Android
	Touch Point	20 Points
	Touch Tool	Finger, Passive pen, Opaque objects
	Writing Point	5 Points
	Response Time	<3.3ms
	Accuracy	±1.5mm(90% area)
	Writing Height	3mm(90% area)
	Surface Hardness	9H pencil

► Specifications

		HU86T60
Android System	System Version	Android 11
	CPU	A55 x 4
	Chipset	MTK9666
	GPU	G52 2EE MC1@550MHz
	RAM	4G
	ROM	32G
	WiFi	Wi-Fi 5
	Bluetooth	5.0
Operation Condition	Temperature	0°C - 40°C
	Humidity	10% - 90%
Storage Condition	Temperature	-20°C -60°C
	Humidity	10% - 90%
Power	Requirements	100-240V~ 50/60Hz
	Standby	≤0.5W
	Normal Mode	420W
	Max	480W
Mounting	VESA FPMPI	Yes (800 x 400 mm)
Dimensions	Product (L x H x D)	1953.4 x 1160.9 x 88.4 mm
	Package (L x W x H)	2100 x 230 x 1305 mm
Weight	Net	65.5 kg
	Gross (excluding holder)	81.5 kg
Accessories	Supplied	Power Cable, Writing Pen x 2, Remote Control, Battery x 2, Spotlight Pointer, High Speed HDMI cable 3m, USB-C – USB-C cable 2m